

Gantner, Stefan; Großschedl, Jörg; Chakraverty, Devasmita; Harms, Ute
Assessing what prospective laboratory assistants in biochemistry and cell biology know: development and validation of the test instrument PROKLAS
Empirical research in vocational education and training 8 (2016) 3, 20 S.

Dokument 4 von 4



Empfohlene Zitierung/ Suggested Citation:

Gantner, Stefan; Großschedl, Jörg; Chakraverty, Devasmita; Harms, Ute: Assessing what prospective laboratory assistants in biochemistry and cell biology know: development and validation of the test instrument PROKLAS - In: Empirical research in vocational education and training 8 (2016) 3, 20 S. -
URN: urn:nbn:de:0111-pedocs-126828

Nutzungsbedingungen

Dieses Dokument steht unter folgender Creative Commons-Lizenz:
<http://creativecommons.org/licenses/by/4.0/deed.de> - Sie dürfen das Werk bzw. den Inhalt vervielfältigen, verbreiten und öffentlich zugänglich machen sowie Abwandlungen und Bearbeitungen des Werkes bzw. Inhaltes anfertigen, solange Sie den Namen des Autors/Rechteinhabers in der von ihm festgelegten Weise nennen.

Mit der Verwendung dieses Dokuments erkennen Sie die Nutzungsbedingungen an.

Terms of use

This document is published under following Creative Commons-License:
<http://creativecommons.org/licenses/by/4.0/deed.en> - You may copy, distribute and render this document accessible, make adaptations of this work or its contents accessible to the public as long as you attribute the work in the manner specified by the author or licensor.

By using this particular document, you accept the above-stated conditions of use.



Kontakt / Contact:

peDOCS
Deutsches Institut für Internationale Pädagogische Forschung (DIPF)
Informationszentrum (IZ) Bildung
E-Mail: pedocs@dipf.de
Internet: www.pedocs.de

Mitglied der


Leibniz-Gemeinschaft

Article title: Assessing what prospective laboratory assistants in Biochemistry and Cell
Biology know: Development and validation of the test instrument PROKLAS

Authors: Stephan Gantner¹, Jörg Großschedl^{1,2}, Devasmita Chakraverty¹, and Ute Harms¹

Affiliation: ¹IPN – Leibniz Institute for Science and Mathematics Education, Department for
Biology Education, Olshausenstr. 62, 24118 Kiel, Germany

²present address: Institute for Biology Education, University of Cologne, Herbert-
Lewin-Str. 10, 50931 Cologne, Germany

Discrimination and difficulty of items of the subscale for biochemistry. (Note, the corresponding items are found in the Additional files 1 and 2.)

Biochemistry								
Responsible Action			Data Management			Laboratory Techniques		
no.	difficulty	Item-discrimination	no.	difficulty	Item-discrimination	no.	difficulty	Item-discrimination
1	0.42	.68	15	0.38	.40	31	0.46	.40
2	0.36	.36	16	0.44	.47	32	0.24	.28
3	0.41	.58	17	0.30	.38	33	0.35	.03
4	0.46	.63	18	0.29	.73	34	0.28	.38
5	0.40	.37	19	0.40	.48	35	0.21	.38
6	0.32	.31	20	0.22	.39	36	0.46	.77
7	0.39	.34	21	0.31	.79	37	0.55	.75
8	0.42	.44	22	0.50	.38	38	0.39	.51
9	0.42	.78	23	0.29	.44	39	0.23	.46
10	0.40	.36	24	0.42	.51	40	0.31	.45
11	0.42	.52	25	0.37	.73	41	0.48	.42
12	0.32	.60	26	0.28	.31	42	0.51	.44
13	0.33	.15	27	0.30	.65	43	0.40	.19
14	0.38	.60	28	0.37	.44	44	0.28	.31
-	-	-	29	0.37	.63	45	0.37	.38
-	-	-	30	0.33	.62	46	0.33	.50
-	-	-	-	-	-	47	0.33	.21
-	-	-	-	-	-	48	0.42	.33
-	-	-	-	-	-	49	0.37	.40
-	-	-	-	-	-	50	0.32	.32
-	-	-	-	-	-	51	0.34	.32
-	-	-	-	-	-	52	0.34	.35
-	-	-	-	-	-	53	0.51	.75
-	-	-	-	-	-	54	0.51	.54
-	-	-	-	-	-	55	0.41	.63
-	-	-	-	-	-	56	0.38	.51
-	-	-	-	-	-	57	0.45	.35
-	-	-	-	-	-	58	0.46	.56

Discrimination and difficulty of items of the subscale for cell biology. (Note, the corresponding items are found in the Additional files 1 and 2.)

Cell Biology								
Responsible Action			Data Management			Laboratory Techniques		
no.	difficulty	Item-discrimination	no.	difficulty	Item-discrimination	no.	difficulty	Item-discrimination
59	0.31	.23	79	0.50	.73	84	0.32	.30
60	0.43	.72	80	0.44	.39	85	0.39	.52
61	0.44	.47	81	0.22	.20	86	0.22	.22
62	0.34	.55	82	0.35	.42	87	0.30	.30
63	0.39	.50	83	0.45	.63	88	0.53	.68
64	0.50	.71	-	-	-	89	0.43	.63
65	0.33	.64	-	-	-	90	0.46	.59
66	0.45	.46	-	-	-	91	0.44	.49
67	0.41	.43	-	-	-	92	0.41	.55
68	0.49	.40	-	-	-	-	-	-
69	0.36	.55	-	-	-	-	-	-
70	0.48	.62	-	-	-	-	-	-
71	0.44	.81	-	-	-	-	-	-
72	0.25	.34	-	-	-	-	-	-
73	0.37	.49	-	-	-	-	-	-
74	0.40	.56	-	-	-	-	-	-
75	0.44	.79	-	-	-	-	-	-
76	0.34	.29	-	-	-	-	-	-
77	0.28	.38	-	-	-	-	-	-
78	0.28	.55	-	-	-	-	-	-